No. 58 p. 4025



THE SOUTH AUSTRALIAN GOVERNMENT GAZETTE

PUBLISHED BY AUTHORITY

ADELAIDE, THURSDAY, 9 OCTOBER 2025

CONTENTS

STATE GOVERNMENT INSTRUMENTS	
Associations Incorporation Act 1985	4026
Building Work Contractors Act 1995	4026
Electoral Act 1985	402
Energy Resources Act 2000	4027
Fire and Emergency Services Act 2005	
Government Financing Authority Act 1982	
Housing Improvement Act 2016	
Hydrogen and Renewable Energy Act 2023	4029
Lotteries Act 2019	4029
Major Events Act 2013	4030
Motor Vehicles Act 1959	4032
Planning, Development and Infrastructure Act 2016	
Retirement Villages Act 2016	
LOCAL GOVERNMENT INSTRUMENTS	
City of Norwood Payneham & St Peters	4053
District Council of Čeduna	4053
Yorke Peninsula Council	
PUBLIC NOTICES	
National Electricity Law	4054
National Gas Law	
Sale of Property	
Trustee Act 1936	

All instruments appearing in this gazette are to be considered official, and obeyed as such

STATE GOVERNMENT INSTRUMENTS

ASSOCIATIONS INCORPORATION ACT 1985

SECTION 44(2)

Defunct Associations

Pursuant to Section 44(2) of the Associations Incorporation Act 1985, the Corporate Affairs Commission is satisfied that the associations named below, associations incorporated under the Act, are defunct and upon publication of this notice are dissolved:

COOBER PEDY ABORIGINAL HOUSING SOCIETY INCORPORATED (A4151)

UNITED BOWLING & SPORTING ASSOCIATION INCORPORATED (A10177)

COOBER PEDY COMMUNITY AUXILIARY INCORPORATED (A10456)

COOBER PEDY LITTLE ATHLETICS CENTRE INCORPORATED (A11777)

COOBER PEDY WOMENS GROUP INCORPORATED (A12181)

COOBER PEDY MOTOR CLUB INCORPORATED (A12294)

COOBER PEDY JUDO CLUB INCORPORATED (A12823)

COOBER PEDY AMATEUR SWIMMING CLUB INCORPORATED (A18710)

THE REMOTE AGED HOUSING ASSOCIATION INCORPORATED (A18835)

SOUTH AUSTRALIAN OPAL MINERS ASSOCIATION INCORPORATED (A19553)

THE SERBIAN ORTHODOX CHURCH AND SCHOOL COMMUNITY 'HOLY PROPHET ELIJAS' AT COOBER PEDY INCORPORATED (A21099)

COOBER PEDY AMATEUR BASKETBALL ASSOCIATION INCORPORATED (A21155)

COOBER PEDY RATEPAYERS AND RESIDENTS ASSOCIATION INCORPORATED (A21227)

COOBER PEDY COMMUNITY DEVELOPMENT COMMITTEE INCORPORATED (A21543)

COOBER PEDY FOOTBALL CLUB INCORPORATED (A21705)

COOBER PEDY MULTICULTURAL COMMUNITY FORUM INCORPORATED (A22008)

COOBER PEDY DARTS ASSOCIATION INCORPORATED (A22217)

COOBER PEDY COMMUNITY & REGIONAL CHILDREN'S CENTRE INCORPORATED (A22942)

COOBER PEDY SOFTBALL ASSOCIATION INCORPORATED (A23791)

MAMA MUKULYA TJITJIKU (CONCERNED FATHERS GROUP) INCORPORATED (A36607)

JUBAL-ATION MINISTRIES INCORPORATED (A37158)

COOBER PEDY REGIONAL SPORTS & RECREATIONAL ASSOCIATION INCORPORATED (A37298)

COOBER PEDY YOUTH SECTOR NETWORK INCORPORATED (A37651)

COOBER PEDY DESERT DRAGONS GYMNASTICS CLUB INCORPORATED (A37651)

KUPI KUPI COOBER PEDY GLIDING CLUB INCORPORATED (A40148)

COOBER PEDY REGIONAL EDUCATION FUND INCORPOATED (A40258)

COOBER PEDY KARATE CLUB INCORPORATED (A42123)

FRENCH IN COOBER PEDY INCORPORATED (A43201)

THE COOBER PEDY JUBILEE 150/BICENTENNIAL COMMUNITY COMMITTEE INCORPORATED (A9944)

COOBER PEDY ANTIKINYRI BRETHREN FELLOWSHIP INCORPORATED (A11017)

COOOBER PEDY NETBALL ASSOCIATION INCORPORATED (A21090)

Given under the seal of the Commission at Adelaide.

Dated: 9 October 2025

KIRSTY LAWRENCE Team Leader, Gambling and Associations Delegate of the Corporate Affairs Commission

BUILDING WORK CONTRACTORS ACT 1995

Exemption

Take notice that, pursuant to Section 45 of the *Building Work Contractors Act 1995*, I, Brett Humphrey as a delegate for the Minister for Consumer and Business Affairs, do hereby exempt the licensee named in Schedule 1 from the application of Division 3 of Part 5 of the above Act in relation to domestic building work described in Schedule 2 and subject to the conditions specified in Schedule 3.

SCHEDULE 1

GOOLWA JETTY BUILDERS PTY LTD (BLD 262904)

SCHEDULE 2

Construction of a jetty adjacent to Allotment 657 Town of Wellington, being a portion of the land described in Certificate of Title Volume 5582 Folio 742, more commonly known as 3405 Jervois Road, Wellington SA 5259.

SCHEDULE 3

- 1. This exemption is limited to domestic building work personally performed by the licensee in relation to the building work described in Schedule 2.
- 2. This exemption does not apply to any domestic building work the licensee contracts to another building work contractor, for which that contractor is required by law to hold building indemnity insurance.

- 3. That the owner does not transfer their interest in the land prior to five years from the date of completion of the building work the subject of this exemption, without the prior authorisation of Consumer and Business Services (CBS). Before giving such authorisation, CBS may require the owner to take any reasonable steps to protect the future purchaser(s) of the property, including but not limited to:
 - Providing evidence that an adequate policy of building indemnity insurance is in force to cover the balance of the five-year period from the date of completion of the building work the subject of this exemption;
 - Providing evidence of an independent expert inspection of the building work the subject of this exemption;
 - Making an independent expert report available to prospective purchasers of the property;
 - Giving prospective purchasers of the property notice of the absence of a policy of building indemnity insurance.

Dated: 3 October 2025

BRETT HUMPHREY
Commissioner for Consumer Affairs
Delegate for the Minister for Consumer and Business Affairs

ELECTORAL ACT 1985

Part 6—Registration of Political Parties

Notice is hereby given, pursuant to Section 42 of the Electoral Act 1985, that I have this day registered the following political party:

Name of Party: Libertarian Party SA

Abbreviation of Party Name: Libertarians (Liberal Democrats)

Dated: 9 October 2025

MICK SHERRY Electoral Commissioner

ENERGY RESOURCES ACT 2000

Surrender of Petroleum Exploration Licence—PEL 444

Notice is hereby given that I have accepted the surrender of the abovementioned licence under the provisions of the *Energy Resources Act 2000*, pursuant to delegated powers dated 19 August 2024.

No. of Licence	Licensee	Locality	Effective Date of Surrender	Reference
PEL 444	Holloman Petroleum Pty Ltd	Cooper Basin	5 June 2025	F2014/000345

Dated: 1 October 2025

PAUL DE IONNO
Executive Director
Regulation and Compliance Division
Department for Energy and Mining
Delegate of the Minister for Energy and Mining

ENERGY RESOURCES ACT 2000

Suspension of Petroleum Exploration Licence—PEL 182 Associated Activities Licence—AAL 224

Pursuant to Section 90 of the *Energy Resources Act 2000*, notice is hereby given that the abovementioned Licences have been suspended for the period from 21 May 2025 to 20 November 2025 inclusive, pursuant to delegated powers dated 19 August 2024.

The expiry date of PEL 182 and AAL 224 is now determined to be 18 November 2026.

Dated: 1 October 2025

PAUL DE IONNO
Executive Director
Regulation and Compliance Division
Department for Energy and Mining
Delegate of the Minister for Energy and Mining

ENERGY RESOURCES ACT 2000

Suspension of Petroleum Retention Licences—PRLs 245 and 246

Pursuant to Section 90 of the *Energy Resources Act 2000*, notice is hereby given that the abovementioned Petroleum Retention Licences have been suspended for the period from 20 June 2025 to 19 December 2025 inclusive, pursuant to delegated powers dated 19 August 2024.

The expiry date of PRLs 245 and 246 is now determined to be 24 December 2027.

Dated: 1 October 2025

PAUL DE IONNO
Executive Director
Regulation and Compliance Division
Department for Energy and Mining
Delegate of the Minister for Energy and Mining

FIRE AND EMERGENCY SERVICES ACT 2005

SECTION 78

Fire Danger Season

The South Australian Country Fire Service hereby:

- Fixes the date of the Fire Danger Season within the part of the State defined as the Eastern Eyre Peninsula Fire Ban District so as to commence on the 15th of October 2025 and to end on the 15th of April 2026.
- 2. Fixes the date of the Fire Danger Season within the part of the State defined as the Lower Eyre Peninsula Fire Ban District so as to commence on the 15th of November 2025 and to end on the 15th of April 2026.
- Fixes the date of the Fire Danger Season within the part of the State defined as the Murraylands Fire Ban District so as to commence on the 1st of November 2025 and to end on the 30th of April 2026.
- 4. Fixes the date of the Fire Danger Season within the part of the State defined as the Riverland Fire Ban District so as to commence on the 1st of November 2025 and to end on the 30th of April 2026.
- 5. Fixes the date of the Fire Danger Season within the part of the State defined as the Upper South East Fire Ban District so as to commence on the 1st of November 2025 and to end on the 30th of April 2026.
- Fixes the date of the Fire Danger Season within the part of the State defined as the West Coast Fire Ban District so as to commence on the 15th of October 2025 and to end on the 15th of April 2026.

Dated: 9 October 2025

BRETT LOUGHLIN AFSM Chief Officer SA Country Fire Service

GOVERNMENT FINANCING AUTHORITY ACT 1982

Persons Assigned to Work

Notice is hereby given that the Under Treasurer will from time to time employ persons in the Department of Treasury and Finance, pursuant to the *Public Sector Act 2009* and such persons will be assigned to work in the South Australian Government Financing Authority.

Take notice that, pursuant to Section 20(2)(a) of the *Government Financing Authority Act 1982*, I, Tom Koutsantonis, Treasurer, determine that Section 45 of the *Public Sector Act 2009* will not apply to the employment of such persons assigned to work in the South Australian Government Financing Authority to perform the duties of the roles of Manager, Claims Services and Manager, Insurance Services.

Pursuant to Section 20(2) of the Government Financing Authority Act 1982, I further determine that:

- (a) the Under Treasurer may employ persons employed to perform the duties of the roles of Manager Claims Services and Manager, Insurance Services in the Department of Treasury and Finance, on a term basis for up to three years; and
- (b) in addition to the grounds for termination of employment under the Public Sector Act 2009, the employment of any persons employed to perform the duties of the roles of Manager, Claims Services or Manager, Insurance Services may be terminated by the Under Treasurer or his/her delegate without cause, by the giving of a period of four months notice or payment in lieu. The Under Treasurer/de legate is not bound to give reasons if he/she terminates the employment of such persons on this basis. A termination payment of an amount equal to four months remuneration for each uncompleted year of the contract (with a pro rata adjustment in relation to part of a year) up to a maximum of eight months remuneration is payable to an employee upon termination under such Clause.

Dated: 9 October 2025

TOM KOUTSANTONIS
Treasurer

HOUSING IMPROVEMENT ACT 2016

Rent Control Revocations

In the exercise of the powers conferred by the *Housing Improvement Act 2016*, the Delegate of the Minister for Housing and Urban Development hereby revokes the maximum rental amount per week that shall be payable subject to Section 55 of the *Residential Tenancies Act 1995*, in respect of each premises described in the following table.

Address of Premises	Allotment Section	Certificate of Title Volume/Folio
Lot 218 Angle Vale Road, Angle Vale SA 5117	Allotment 218 Filed Plan 162567 Hundred of Munno Para	CT5554/48
102 Torrens Road, Riverton SA 5412	Allotment 118 Filed Plan 168247 Hundred of Gilbert	CT5369/996
39 Scott Street, Bordertown SA 5268	Allotment 91 Filed Plan 199385 Hundred of Tatiara	CT5355/198
Lot 2 Angle Vale Road, Virginia SA 5120	Allotment 2 Deposited Plan 6133 Hundred of Munno Para	CT5676/479

Dated: 9 October 2025

CRAIG THOMPSON
Housing Regulator and Registrar
Housing Safety Authority
Delegate of the Minister for Housing and Urban Development

HYDROGEN AND RENEWABLE ENERGY ACT 2023

SECTION 111(1)

Exemption

Pursuant to Section 111(1)(c) of the *Hydrogen and Renewable Energy Act 2023* (the Act), I, Paul De Ionno, as delegate for the Minister for Energy and Mining for the State of South Australia, exempt the following class of activity from requiring authorisation under the Act:

- 1. The construction, installation, operation, maintaining, management and decommissioning of an energy storage system that:
 - (a) is capable of being charged and storing and discharging energy; and
 - (b) has a storage capacity of or above a nameplate capacity of 5 MW; and
 - (c) is connected to a transmission or distribution network through which energy (including energy generated or obtained from a renewable energy resource) is conveyed;

(the infrastructure)

- 2. Where the person undertaking that activity:
 - (a) immediately before the commencement of the Act was lawfully operating the infrastructure; or
 - (b) immediately before the commencement of the Act held a development authorisation in respect of the establishment and operation of the infrastructure but has not commenced operation of the infrastructure; or
 - (c) before the commencement of the Act had applied for a development authorisation in respect of the establishment and operation of the infrastructure but has not, had the application determined; or
 - (d) immediately before the commencement of the Act was lawfully establishing (other than pursuant to a development authorisation) the infrastructure but had not yet commenced operating the infrastructure; or
 - (e) immediately before the commencement of the Act was specifically endorsed by a State agency pursuant to Section 131(2)(c) of the *Planning, Development and Infrastructure Act 2016* to undertake development of a kind prescribed in Schedule 13 of the *Planning, Development and Infrastructure (General) Regulations 2017*.

This exemption commences on the date of publication in the SA Government Gazette and shall remain in force for a period of 1 year or until revoked by a subsequent notice.

Dated: 1 October 2025

PAUL DE IONNO
Executive Director
Regulation and Compliance Division
Department for Energy and Mining
Delegate for the Minister for Energy and Mining

LOTTERIES ACT 2019 SECTION 7(1)(C)

Prohibited Goods and Services

Pursuant to Section 7(1)(c) of the *Lotteries Act 2019*, the Liquor and Gambling Commissioner prohibits the following specified class of goods and services from being promoted by a trade promotion lottery:

(a) Lotteries.

For the avoidance of doubt, this does not preclude a minor trade promotion lottery or major trade promotion lottery from promoting the trade promotion lottery through advertising, but rather precludes lotteries as the goods or services which the trader is seeking to promote by a trade promotion lottery.

Dated: 9 October 2025

BRETT HUMPHREY Liquor and Gambling Commissioner

MAJOR EVENTS ACT 2013

SECTION 6B

Declaration of a Major Event

Pursuant to Section 6B of the *Major Events Act 2013*, I, Hon. Zoe Bettison MP, Minister for Tourism declare the 2025 National Pharmacies Christmas Pageant to be held on Saturday 8 November 2025 to be declared a major event.

By virtue of the provisions of the Major Events Act 2013, I do hereby:

- 1. Declare the 2025 National Pharmacies Christmas Pageant to be a major event.
- 2. Specify the period of the event, for which the declaration of the major event is in force is on Saturday 8 November 2025 from 12.00am to 12.00pm.
- 3. Declare the major event venue to be the Pageant route marked 'major event route' on the map, and controlled areas to be any public place or part of a public place that is within 330 metres of the boundary of the Pageant route.
- 4. Designate South Australian Tourism Commission (ABN 80 485 623 691) to be the event organisers for the event.
- 5. Declare that the following provisions of Part 3 of the Act apply to the event, the event site and the declared controlled area for the event:
 - (a) Section 8
 - (b) Section 10
 - (c) Section 11
 - (d) Section 12
 - (e) Section 13
 - (f) Section 14
- 6. Being satisfied that the title "National Pharmacies Christmas Pageant" and the logo as it appears below are sufficiently connected with the identity and conduct of the major event, and that the event has commercial arrangements that are likely to be adversely affected by unauthorised use of the title and logo, I hereby declare, pursuant to Section 14(1) of the Act, that "National Pharmacies Christmas Pageant" is an official title and the logo as it appears below is an official logo in respect of the event.



Dated: 2 October 2025

HON ZOE BETTISON MP Minister for Tourism

MAP OF CONTROLLED AREA 2025 National Pharmacies Christmas Pageant N ADELAIDE North Terrace North Terrace North Terrace Π. Wakefield Street South Terrace **National Pharmacies Christmas Pageant Controlled Area** Major Event Route Declared Controlled Area 100 200 300 Metres H H H H Y

MOTOR VEHICLES ACT 1959

SECTION 47A

Classes, Specifications and Design of Number Plates—Notice by the Registrar of Motor Vehicles

Pursuant to Section 47A of the Motor Vehicles Act 1959 ('the Act'), I, Emma Kokar, Registrar of Motor Vehicles (Registrar):

- (a) revoke the following notices made under Section 47A of the Act:
 - notice dated 10 October 2024 published in the Gazette No. 68 on Thursday, 10 October 2024 (pages 3908-3926).
- (b) establish the classes of number plates set out in Schedule 1 and numbered 1 to 13 and 15 to 23 (inclusive) for the purposes of Section 47(1) of the Act;
- (c) prescribe the specifications and design set out in Schedule 2 to be the specifications and design to which number plates of each class established by this notice must conform;
- (d) declare the classes of number plates set out in Schedule 3 to be classes of number plates that the Registrar may enter into an agreement pursuant to Section 47A(4) of the Act.

SCHEDULE 1

Classes of Number Plates

Class 1-Numeric

Class 2—Alpha Numeric (non-slogan)

Class 3—Slogan

Class 4—Personalised

Class 5—Jubilee

Class 6—Australian Grand Prix

Class 7—Towtruck

Class 8—Government Vehicle

Class 9—Name Plates

Class 10—Custom

Class 11-Taxi Plates

Class 12—Chauffeured Vehicle

Class 13—Consular Corps

Class 15—Premium Number

Class 16—Bike Rack

Class 17—Centenary of Federation

Class 18—Country Taxi Plates

Class 19-SA - Heavy Vehicle

Class 20—Euro Vehicle

Class 21—National Heavy Vehicle

Class 22—Japanese Plates

Class 23—Adelaide 500

SCHEDULE 2

Specifications and Design of Number Plates

Class 1—Numeric Number Plates

A numeric number plate must bear a number consisting entirely of a figure, or figures (except for the letters "SA" designating the State of issue), and may be issued under an agreement between the Registrar and the applicant. The plate must conform to the following additional specifications and designs:

129mm Min./371mm Max.

Steel/Aluminium Embossed

White Figures

£123·456

133mm Min

Black Background

	Motor Vehicles other than motor bikes	Motor bikes
Height of figure	77-80mm	50mm
Width of every line in each figure	12mm	6mm

The dimensions of a motor bike plate must be 215 ± 1.0 mm in length and 95 ± 1.0 mm in height.

Class 2—Alpha Numeric Plates (Non-Slogan)

An alpha-numeric plate (non-slogan) must bear a number consisting of a combination of letters and figures and may be issued under an agreement between the Registrar and the applicant. The plate must conform to the following additional specifications and design:

2.1.1 Special Purpose Vehicle and Motor Bike ("S" 6 character set)

 $215\pm1.0\text{mm}$

Steel/Aluminium Embossed



 $100 \pm 1.0 \text{mm}$

White Retroreflective Background

Height of figure or letter	50mm
Width of every line in each figure or letter	6-8mm

2.1.2 Special Purpose Vehicle and Motor Bike

 $215\pm1.0\text{mm}$

Steel/Aluminium Embossed



 $100 \pm 1.0 mm$

White Retroreflective Background

Black Letters	and F	igures

Height of figure or letter	50mm
Width of every line in each figure or letter	6-8mm

2.2 Other Vehicles

Steel/Aluminium Embossed



 $133\pm1.0\text{mm}$

White Retroreflective Background

Black Letters and Figures

Height of figure or letter	70-77mm
Width of every line in each figure or letter	12mm

2.3 Corporate Number Plates

Alpha numeric plates (non-slogan) in the corporate plate format (class 2.2 only) may contain a background, logo and/or slogan or other promotional pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant.

The plate must conform to the following specifications and design:

The height of the plate 133 + 1.0mm and width 371 + 1.0mm.

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 3—Slogan Number Plates

A slogan number plate must bear a number consisting of a combination of letters and figures and may be issued under an agreement between the Registrar and the applicant. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

South Australia Plate

Steel/Aluminium Embossed

 371 ± 1.0 mm

 $133\pm1.0\text{mm}$

White Retroreflective Background

Black Letters and Figures

Slogan (Black): SOUTH AUSTRALIA

	Motor Vehicles other than motor bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.1.1 South Australia Trailer Plate

Steel/Aluminium Embossed

Black Letters and Figures



 $133\pm1.0\text{mm}$

White Retroreflective Background

Slogan (Black): SOUTH AUSTRALIA

Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.1.2 South Australia Non-Standard Trailer Plate

 252 ± 1.0 mm

Steel/Aluminium Embossed

Black Letters and Figures



 $98 \pm 1.0 mm$

White Retroreflective Background

Slogan (Black): SOUTH AUSTRALIA

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

3.1.3 Aerial Plate

 252 ± 1.0 mm

Steel/Aluminium Embossed

Black Letters and Figure

SO54-LIC

 $98 \pm 1.0 mm$

White Background Retroreflective

Slogan (Black): SOUTH AUSTRALIA

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

The dimensions of an aerial mount plate must be 252 ± 1.0 mm in length and 98 ± 1.0 mm in width and are only available to vehicles granted registration under the Act.

3.2 Corporate Number Plates

Slogan number plates in the corporate plate format may contain a background, logo and/or slogan or other promotion pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

The height of the plate 133 mm + 1.0 mm and length of the plate 371 mm + 1.0 mm.

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.3 Festival State (Discontinued)

Steel/Aluminium Embossed

Black Letters and Figures Slogan Blue



 133 ± 1.0 mm

White Retroreflective Background

Blue Slogan: SA • The Festival State Black State Badge (Piping Shrike)

	Motor Vehicles other than motor bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

3.3.1 Festival State Trailer Plate (Discontinued)

Steel/Aluminium Embossed

Black Letters and Figures Slogan Blue



 $133\pm1.0\text{mm}$

White Retroreflective Background

Blue Slogan: SA • The Festival State Black State Badge (Piping Shrike)

	Motor Vehicles other than motor bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

Festival State Non-Standard Trailer Plate (Discontinued) 3.3.2

 252 ± 1.0 mm

Steel/Aluminium Embossed

Black Letters and Figures Slogan Blue



 $98 \pm 1.0 mm$

White Retroreflective Background

Blue Slogan: SA • The Festival State Black State Badge (Piping Shrike)

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

3.4.1 Wine State (remake only)

 371 ± 1.0 mm Steel/Aluminium

Embossed

Black Letters and Figures Slogan Purple



 $133\pm1.0\text{mm}$

White Retroreflective Background

Slogan Purple: SOUTH AUSTRALIA – THE WINE STATE Black State Badge (Piping Shrike)
Background: (Light Green, Green)—Design approved by the Registrar)

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.2 Rose State (remake only)

 $371\pm1.0\text{mm}$

Steel/Aluminium Embossed

Black Letters and Figures Slogan Pink



 $133\pm1.0\text{mm}$

White Retroreflective Background

Slogan Pink: SOUTH AUSTRALIA – THE ROSE STATE

Black State Badge (Piping Shrike)
Background: (Light Green, Green, Pink, Red)—Design approved by the Registrar)

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.3 Creative State (remake only)

Steel/Aluminium Embossed

Black Letters and Figures Slogan Black



 $133 \pm 1.0 mm$

Yellow Background

Slogan Black: SOUTH AUSTRALIA - THE CREATIVE STATE Black State Badge (Piping Shrike)

Background: (White, Grey, Red)—Design approved by the Registrar)

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.4 **Defence State** (remake only)

 $371 \pm 1.0 mm$

Steel/Aluminium Embossed

White Letters and Figures Slogan White with Black Background



 $133\pm1.0\text{mm}$

Blue Background

Slogan White: SOUTH AUSTRALIA – THE DEFENCE STATE Black State Badge (Piping Shrike) Background: (Blue)—Design approved by the Registrar)

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.5 Gateway To The Outback (remake only)

 371 ± 1.0 mm

Steel/Aluminium Embossed Black Letters and Figures Slogan White with Black Background



 $133\pm1.0\text{mm}$

White Retroreflective Background

Slogan White: SOUTH AUSTRALIA – GATEWAY TO THE OUTBACK Black State Badge (Piping Shrike) Background: (Yellow, Purple)—Design approved by the Registrar)

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.6 The Electronics State (remake only)

 371 ± 1.0 mm

Steel/Aluminium Embossed Black Letters and Figures Slogan White with Green Background



 $133\pm1.0\text{mm}$

Green and White Retroreflective Background

Slogan White: SOUTH AUSTRALIA – THE ELECTRONICS STATE Black State Badge (Piping Shrike) Background: (White, Green)—Design approved by the Registrar)

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

3.4.7 SA The Koala State

 371 ± 1.0 mm

Steel/Aluminium Embossed Black Letters and Figures

Slogan White with Teal Background



 133 ± 1.0 mm

White and Teal Retroreflective Background

Slogan White: SA THE KOALA STATE Background: (White, Teal)—Design approved by the Registrar)

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 4—Personalised Number Plates

A personalised number plate must bear a number consisting of a combination of letters and figures nominated by an applicant and approved by the Registrar, and issued under an agreement between the Registrar and the applicant.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Option	Letters and Figures (colour)	Background (colour)	State Badge Piping Strike (colour)
1	Retroreflective White	Blue	White
2	Retroreflective White	Magenta	White
3	Retroreflective White	Red	White
4	Retroreflective White	Maroon	White
5	Retroreflective White	Green	White
6	Blue	Retroreflective White	Black
7	Magenta	Retroreflective White	Black
8	Red	Retroreflective White	Black
9	Maroon	Retroreflective White	Black
10	Green	Retroreflective White	Black
11	Green	Retroreflective Yellow	Black

The Piping Shrike emblem will appear after the last letter and before the first number.

4.1 Standard Personalised

 371 ± 1.0 mm

Aluminium Embossed



 $133\pm1.0\text{mm}$

	Motor Vehicles and Trailers other than Motor Bikes and Non-Standard Trailers	Motor bikes
Height of figure or letter	70-72mm	50mm
Width of every line in each figure or letter	10-12mm	6mm

The dimensions of a motor bike plate must be $252mm \pm 1.0mm$ in length and $98mm \pm 1.0mm$ in height.

4.2 Slim Personalised

 371 ± 1.0 mm

Aluminium Embossed



 100 ± 1.0 mm

	Motor Vehicles other than motor bikes or trailers	Motor bikes
Height of figure or letter	54 or 60mm	50mm
Width of every line in each figure or letter	10mm	6mm

The dimensions of a motor bike plate must be $252\text{mm} \pm 1.0\text{mm}$ in length and $98\text{mm} \pm 1.0\text{mm}$ in height.

4.3 Non-Standard Personalised Trailer

 $252\pm1.0 mm$

Aluminium Embossed



 $98 \pm 1.0 mm$

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

4.4 Corporate Number Plates

Personalised number plates in the corporate plate format may contain a background, logo and/or slogan or other promotion pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

The height of the plate 133 mm + 1.0 mm and length of the plate 371 mm + 1.0 mm.

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 5—Jubilee Number Plates

A limited series of number plates numbered 001J-999J and 001S-999S preceded by the J150 logo and has the words "SOUTH AUSTRALIA" printed under the numbers, were issued to commemorate South Australia's 150th Jubilee. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

 $371 \pm 1.0 mm$

Steel/Aluminium Embossed

Black Letters and Figures



 $133\pm1.0\text{mm}$

Silver-White Retroreflective Background

Slogan Black: SOUTH AUSTRALIA

Jubilee Slogan (to the left of the characters) according to the copyright specifications

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 6—Australian Grand Prix Number Plates

6.1 Special Series

A limited series of number plates numbered 1 - 199 preceded by the Grand Prix Logo, were issued to commemorate the Australian Formula 1 Grand Prix in Adelaide. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

 371 ± 1.0 mm

Steel/Aluminium Embossed

White Figures



 133 ± 1.0 mm

Black Background

Slogan White: SOUTH AUSTRALIA

Logo Green, Yellow, Black and White (to the left of the digits) according to the copyright specifications

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

6.2 Standard Series

A limited series of number plates numbered 200 - 9999 preceded by the Grand Prix Logo, was issued to commemorate the Australian Formula 1 Grand Prix in Adelaide. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

 371 ± 1.0 mm

Steel/Aluminium Embossed

Black Figures



 133 ± 1.0 mm

White Retroreflective Background

Slogan Black: SOUTH AUSTRALIA

Logo Green, Yellow, Black and White (to the left of the digits) according to the copyright specifications

Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 7—Towtruck Number Plates

A Towtruck number plate must be issued to a Towtruck approved by the Registrar for use in the operation of the accident towing roster scheme. The number is preceded by the letters "ATT" and the plate must conform to the following additional specifications and design:

 371 ± 1.0 mm

Steel/Aluminium Embossed

Blue Letters and Figures

ATT-345

 133 ± 1.0 mm

Yellow Retroreflective Background

Slogan Blue: SA ACCIDENT TOWTRUCK		
Height of figure or letter	77mm	
Width of every line in each figure or letter	12mm	

Class 8—Government Vehicle Number Plates

Vehicles owned by the State of South Australia may be issued with a number plate or plates consisting of a combination of letters and figures, which conform to the following additional specifications and design (unless otherwise authorised):

8.1.1 Government Vehicle or Trailer Number Plate ("S" 7 character set)

Steel/Aluminium Embossed

Blue Letters and Figures



 $133\pm1.0\text{mm}$

White Retroreflective Background

Slogan Blue: SA GOVERNMENT

Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

8.1.2 Government Motor Bike ("S" 6 character set)

Steel/Aluminium Embossed

Blue Letters and Figures

215 ± 1.0mm **S12-AQC**SA GOVERNMENT

 95 ± 1.0 mm

White Retroreflective Background

Slogan Blue: SA GOVERNMENT

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

 252 ± 1.0 mm

8.1.3 Aerial Plate

Steel/Aluminium Embossed

Blue Letters and Figures

05*4*.1 0C

W W

 98 ± 1.0 mm

White Retroreflective Background

Slogan Blue: SA GOVERNMENT

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

The dimensions of an aerial mount plate must be 252 ± 1.0 mm in length and 98 ± 1.0 mm in width and are only available to vehicles granted registration under the Act.

8.2 Government Vehicle Number Plate (remake only)

 371 ± 1.0 mm

Steel/Aluminium Embossed

Blue Letters and Figures



 $133\pm1.0\text{mm}$

White Retroreflective Background

Slogan Blue: SA GOVERNMENT

	Motor Vehicles other than motor bikes	Motor bikes
Height of figure or letter	77mm	50mm
Width of every line in each figure or letter	12mm	6mm

The dimensions of a motor bike plate must be 215 ± 1.0 mm in length and 95 ± 1.0 mm in width.

Class 9—Name Plates

A name plate must bear a number which consists of all letters issued under an agreement between the Registrar and the applicant. The plate must be of the type known as retroreflective metal or acrylic.

The size of the plate and height and width of every figure appearing on the plate are at the discretion of the Registrar.

Class 10—Custom Number Plates

A custom number plate must bear a number nominated by an applicant and approved by the Registrar, which may consist of letters or a combination of letters and figures and issued under an agreement between the Registrar and the applicant authorising the applicant to display the number.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Option	Letters and Figures (colour)	Background (colour)
1	Retroreflective White	Blue
2	Retroreflective White	Magenta
3	Retroreflective White	Red
4	Retroreflective White	Maroon
5	Retroreflective White	Green
6	Blue	Retroreflective White
7	Magenta	Retroreflective White
8	Red	Retroreflective White
9	Maroon	Retroreflective White
10	Green	Retroreflective White
11	Black	Gold
12	Black	Silver
13	Gold	Black
14	Silver	Black
15	Black	Retroreflective White
16	Black	Retroreflective Lemon
17	Black	Retroreflective Yellow
18	Green	Retroreflective Lemon
19	Green	Retroreflective Yellow
20	Blue	Retroreflective Lemon
21	Blue	Retroreflective Yellow
22	Black	Burnt Orange
23	Burnt Orange	Black
24	Black	Electric Blue
25	Electric Blue	Black
26	Black	Electric Green
27	Electric Green	Black
28	Black	Electric Red
29	Electric Red	Black
30	Black	Hot Pink
31	Hot Pink	Black

10.1 Standard Custom

Aluminium Embossed



 $133\pm1.0\text{mm}$

	Motor Vehicles and Trailers other than motor bikes	Motor bikes
Height of figure or letter 1 to 6 letters	77mm	50mm
Width of every line in each figure or letter for 1 to 6 letters	12mm	6mm
Height or figure or letter 7 letters or 6 letters with space	70-72mm	50mm
Width of every line in each figure or letter for 7 letters or 6 letters with space	10-12mm	6mm

The dimensions of a motor bike plate must be:

1 to 6 digits $215 \text{mm} \pm 1.0 \text{mm}$ in length and $95 \text{mm} \pm 1.0 \text{mm}$ in width. 7 digits $252 \text{mm} \pm 1.0 \text{mm}$ in length and $98 \text{mm} \pm 1.0 \text{mm}$ in width.

10.2 Slim Custom

 $371\pm1.0mm$

Aluminium Embossed



 $100 \pm 1.0 mm$

	Motor vehicles other than motor bikes
Height of figure or letter	54mm or 60mm
Width of every line in each figure or letter	10mm

10.3 Square Two Line Custom

 306 ± 1.0 mm

Aluminium Embossed



 $150\pm1.0mm$

	Motor vehicles other than motor bikes
Height of figure or letter	54mm or 60mm
Width of every line in each figure or letter	10mm

10.4 Square Custom

 $306 \pm 1.0 \text{mm}$

Aluminium Embossed



 $150 \pm 1.0 mm$

	Motor vehicle other than motor bikes
Height of figure or letter	54mm or 60mm
Width of every line in each figure or letter	10mm

The dimensions of a motor bike plate must be:

1 to 6 digits $215 \text{mm} \pm 1.0 \text{mm}$ in length and $95 \text{mm} \pm 1.0 \text{mm}$ in width. 7 digits $252 \text{mm} \pm 1.0 \text{mm}$ in length and $98 \text{mm} \pm 1.0 \text{mm}$ in width.

10.5 Corporate Number Plates

Custom number plates in the corporate plate format may contain a background, logo and/or slogan or other promotional pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

371mm + 1.0mm in length and 133mm + 1.0mm in height

Height of Figure or Letter	60mm
Width of every line in each figure or letter	10mm

Class 11—Taxi Plates

A taxi plate must be issued to taxis which are accredited by the *Passenger Transport Act 1994* as general purpose metropolitan taxis, standby taxis or "special vehicle licence" vehicles (wheelchair accessible vehicle). The number is preceded by the letters 'TAXI' and the plate must conform to the following additional specifications and design:

11.1 Standard Taxi Plate

 $371\pm1.0\text{mm}$

Steel/Aluminium Embossed TAXI 9000

 $133\pm1.0\text{mm}$

Black Letters and Figures

White Retroreflective Background

Slogan: SA South Australia. A Brilliant Blend (according to the copyright specifications of SA TOURISM COMMISSION)

	Motor Vehicle
Height of figure	70mm
Height of letter	51mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

11.2 Standby/Access Taxi Plate

Standby taxi plates and "special vehicle licence" vehicle (wheelchair accessible vehicle) plates (accredited by the *Passenger Transport Act 1994*) may have letters "TAXI" displayed with white letters on a black background.

 $371 \pm 1.0 mm$

Steel/Aluminium Embossed Black Figures

Retroreflective White Letters on a Black

60 x 120mm Background



 133 ± 1.0 mm

White Retroreflective Background

Slogan: SA South Australia. A Brilliant Blend (according to the copyright specifications of SA TOURISM COMMISSION)

	Motor Vehicle
Height of figure	70mm
Height of letter	51mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

Class 12—Chauffeured Vehicle Plates

A Chauffeured Vehicle number plate must bear a number consisting of a combination of figures and letters and be issued to vehicles and bikes which are accredited to operate for hire under the *Passenger Transport Act 1994*. These plates must be of the type known as metal embossed and must conform to the following additional specifications and design:

12.1 Standard

 371 ± 1.0 mm

Steel/Aluminium Embossed

Blue Letters and Figures



 $133\pm1.0\text{mm}$

White Retroreflective Background

Blue Border with White Slogan: CHAUFFEURED VEHICLE (above plate number) and SOUTH AUSTRALIA (below plate number)

	Motor Vehicles other than motor bikes
Height of figure or letter	70-77mm
Width of every line in each figure or letter	10-12mm

12.2 Square

 306 ± 1.0 mm

Steel/Aluminium Embossed

Blue Letters and Figures



 $150 \pm 1.0 mm$

White Retroreflective Background

Blue Border with White Slogan: CHAUFFEURED VEHICLE (above plate number) and SOUTH AUSTRALIA (below plate number)

	Motor Vehicles other than motor bikes
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

12.3 Motor Bike

Steel/Aluminium Embossed 8756·MV

 252 ± 1.0 mm

 $98 \pm 1.0 \text{mm}$

Blue Letters and Figures White Retroreflective Background

Blue Border with White Slogan: CHAUFFEURED VEHICLE (above plate number) and SOUTH AUSTRALIA (below plate number)

	Motor Bikes
Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

Class 13—Consular Corps Plates

Consular Corps number plates may only be issued to an accredited Diplomatic Officer or accredited Consular Officer de carriere, who is a national of a country which he or she represents and who resides in this State, or to an Honorary Consul accredited by the Department of Foreign Affairs and Trade, who also resides in this State. The plates must be of the type known as metal embossed and must conform to the following additional specifications and design:

 371 ± 1.0 mm

Steel/Aluminium Embossed CC-1967

 $133\pm1.0\text{mm}$

Black Background

White Letters and Figures

Slogan White: SA CONSULAR CORPS

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 15—Premium Number Plates

A premium plate must bear a number consisting of two letters, three figures followed by a further letter and may be issued under an agreement between the Registrar and the applicant. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

15.1 Front

 371 ± 1.0 mm

Aluminium Embossed

Black Letters and Figures

OR

Retroreflective White Letters and Figures

OR

Opaque White Letters and Figures (discontinued)

AA·010A



 $83\pm1.0\text{mm}$

White Retroreflective Background

OR

Black Background

	Motor Vehicles other than motor bikes
Height of figure or letter	53mm-54mm
Width of every line in each figure or letter	8mm-10mm

15.1a Rear

 $371 \pm 1.0 mm$

Aluminium Embossed

Black Letters and Figures

Retroreflective White Letters and Figures

Opaque White Letters and Figures (discontinued)



 $106 \pm 1.0 mm$

White Retroreflective Background OR

Black Background

	Motor Vehicles other than motor bikes
Height of figure or letter	70mm-75mm
Width of every line in each figure or letter	10mm-12mm

15.2 Front

 $371 \pm 1.0 mm$

Aluminium Embossed

Black Letters and Figures



 $100 \pm 1.0 mm$

White Retroreflective Background

	Motor Vehicles other than motor bikes
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

15.2a Rear

 $306 \pm 1.0 mm$

Aluminium Embossed

Black Letters and Figures



 $150 \pm 1.0 \text{mm}$

White Retroreflective Background

	Motor Vehicles other than motor bikes
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

15.3 Front and Rear Square

 $306 \pm 1.0 mm$

Aluminium Embossed



 $150 \pm 1.0 mm$

White Retroreflective Background

Black Letters and Figures

	Motor Vehicles other than motor bikes
Height of figure or letter	54-62mm
Width of every line in each figure or letter	10mm

15.4 Corporate Number Plates

Premium number plates in the corporate plate format may contain a background, logo and/or slogan or other promotional pictures or information deemed appropriate, in accordance with an agreement between the Registrar and the applicant. The plate must conform to the following specifications and design:

371mm + 1.0mm in length and 133mm + 1.0mm in height

Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 16—Bike Rack Number Plates

A Bike Rack plate must bear the number allotted to the vehicle to which the bike rack is attached and must conform to the following additional specifications and design:

16.1 SA Better By Bike (discontinued)

Steel/Aluminium Embossed

Black Letters and Figures



 $252\pm1.0 mm$

 $98 \pm 1.0 mm$

White Retroreflective Background

Slogan: SA BETTER BY BIKE

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

16.2 SA Cycle instead

Steel/Aluminium Embossed

Black Letters and Figures



 $98 \pm 1.0 \text{mm}$

White Retroreflective Background

Slogan: SA Cycle instead and logo, as endorsed by the Registrar

Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

Class 17—Centenary of Federation Number Plates

17.1 Centenary Limited Series Number Plates

A limited series of number plates numbered 1901 CF-2001 CF, with the Centenary of Federation logo between the letters and figures, were issued to commemorate the Centenary of Federation. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

 371 ± 1.0 mm

Steel/Aluminium Embossed

White Letters and Figures



 133 ± 1.0 mm

Black Background

Grey watermark of Rotunda in background Slogan White: SA – Centenary of Federation Centenary of Federation Logo (between the numbers and the letters) according to the registered trademark owned by the Commonwealth.

	Motor Vehicles
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

17.2 Centenary Vogue Series Number Plates

A limited series of number plates numbered 000C-999C and 000F-999F with the Centenary of Federation logo between the letters and figures, were issued to commemorate the Centenary of Federation. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

Steel/Aluminium Embossed

White Letters and Figures





 $133\pm1.0\text{mm}$

Yellow, Red, Green, Blue Retroreflective Background

Slogan White: SA—Centenary of Federation | Centenary of Federation Logo (between the numbers and the letters) according to the registered trademark owned by the Commonwealth.

	Motor Vehicles
Height of figure or letter	60mm
Width of every line in each figure or letter	10mm

Class 18—Country Taxi Plates

A Country Taxi Plate must be issued to taxis which have country taxi accreditation under the *Passenger Transport Act 1994*. The number is preceded by the letters 'TAXI' and the plate must conform to the following additional specifications and design:

Steel/Aluminium Embossed

Black Letters and Figures



 $133 \pm 1.0 \text{mm}$

Lemon Retroreflective Background

Slogan Red: SOUTH AUSTRALIA (above plate number)
COUNTRY TAXI (below plate number)
Black State Badge (Piping Shrike) (between the word TAXI and figures).

	Motor Vehicles
Height of figure	70mm
Height of letter	50mm
Width of every line in each figure	10mm
Width of every line in each letter	6mm

Class 19—SA - Heavy Vehicle

A SA Heavy Vehicle Plate may be issued to a vehicle with a mass or GVM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

19.1 Standard

Aluminium Embossed

Black Letters and Figures



 133 ± 1.0 mm

White Retroreflective Background

Slogan Black: SA – HEAVY VEHICLE

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

19.2 Trailer

A SA Heavy Trailer Plate may be issued to a vehicle with a mass or GTM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Aluminium Embossed

Black Letters and Figures

SB-12-AB

 133 ± 1.0 mm

White Retroreflective Background

Slogan Black: SA – HEAVY VEHICLE

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

Class 20—Euro Number Plates

A Euro plate must bear a number consisting of the letter S followed by two letters, two figures followed by a further letter, with the State Coat of Arms of South Australia appearing between the letter S and the first two letters, and may be issued under an agreement between the Registrar and the applicant. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

20.1 White Background Euro Plate

Steel/Aluminium Embossed Black Letters and Figures Logo—Sturt Desert Pea



 $113.6\pm1.0\text{mm}$

White Retroreflective Background

Blue Sash on the left of the plate with the characters "SA" screen printed in white with the S printed directly above the A The State Coat of Arms of South Australia (between the "S" and the first two letters) as endorsed by the Department of the Premier and Cabinet's Protocol Branch.

	Motor Vehicles
Height of figure or letter	75.5mm
Width of every line in each figure or letter	10mm

20.2 Black Background Euro Plate

Steel/Aluminium Embossed

White Retroreflective Letters and Figures

Logo-Sturt Desert Pea

113.6 + 1.0mm

Black Background

SAXU 37D

522 + 1.0mm

On the left of the plate the characters "SA" screen printed in white with the S printed directly above the A The State Coat of Arms of South Australia (white) (between the "S" and the first two letters) as endorsed by the Department of the Premier and Cabinet Protocol Branch.

	Motor Vehicles
Height of figure or letter	75.5mm
Width of every line in each figure or letter	12mm

Class 21—National Heavy Vehicle Plate

A National Heavy Vehicle Plate may be issued to a vehicle with a mass or GVM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

21.1 Standard

Aluminium Embossed

Black Letters and Figures



 $134 \pm 1.0 mm$

White Retroreflective Background containing a Directional Security Mark (Kangaroo in circle)

Sash Colour Blue with White slogan and logo—National Heavy Vehicle

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

21.2 Trailer

A Heavy Trailer Vehicle Plate may be issued to a vehicle with a mass or GTM over 4.5 tonnes. The plate must be of the type known as metal embossed and must conform to the following additional specifications and design

Aluminium Embossed

Black Letters and Figures



 372 ± 1.0 mm

 134 ± 1.0 mm

White Retroreflective Background Containing a Directional Security Mark (Kangaroo in circle)

Sash Colour Blue with White slogan and logo—National Heavy Vehicle

	Motor Vehicles
Height of figure or letter	77mm
Width of every line in each figure or letter	12mm

21.3 Bike Rack

A bike rack plate issued for a heavy vehicle or heavy trailer with a mass or GVM/GTM over 4.5 tonnes must bear the number allotted to the vehicle to which the bike rack is attached and must conform to the following additional specifications and design:

Aluminium Embossed

Black Letters and Figures



 $100 \pm 1.0 mm$

White Retroreflective Background

Sash Colour Blue with White slogan and logo—National Heavy Vehicle

	Motor Vehicles
Height of figure or letter	50mm
Width of every line in each figure or letter	6mm

Class 22—Japanese Number Plates

A Japanese number plate may be issued under an agreement between the Registrar and the applicant.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

22.1 Standard

A Standard Japanese number plate consists of two numbers, followed by three letters.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Japanese text of '南オーストラリア', meaning 'South Australia' located at the top of the number plate with 'SA' located in the bottom centre.

	Motor Vehicles
Height of figure or letter	58mm-60mm
Width of every line in each figure or letter	8mm-10mm

22.2 Special Edition

A Special Edition Japanese number plate consists of two numbers, followed by three letters 'JDM'.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Aluminium Embossed

 165 ± 1.0 mm

Green Letters and Figures

White Retroreflective Background

Japanese text of '南オーストラリア', meaning 'South Australia' located at the top of the number plate with 'SA' located in the bottom centre.

	Motor Vehicles
Height of figure or letter	58mm-60mm
Width of every line in each figure or letter	8mm-10mm

22.3 Custom Japanese

A Custom Japanese number plate must bear a number nominated by an applicant and approved by the Registrar, which may consist of letters or a combination of letters and figures and issued under an agreement between the Registrar and the applicant authorising the applicant to display the number.

The plate must be of the type known as metal embossed and must conform to the following additional specifications and design:

Option	Letters and Figures (colour)	Background (colour)
1	Black	Retroreflective White
2	Blue	Retroreflective White
3	Green	Retroreflective White
4	Maroon	Retroreflective White

 $330 \pm 1.0 mm$

Aluminium Embossed



 $165 \pm 1.0 mm$

Japanese text of '南オーストラリア', meaning 'South Australia' located at the top of the number plate with '車', meaning 'car', located in the bottom centre of the plate. 'SA' written vertically in the centre left of the number plate.

	Motor Vehicles
Height of figure or letter	58mm-60mm
Width of every line in each figure or letter	8mm-10mm

Class 23—Adelaide 500

23.1 Adelaide 500 Special Edition Series

A special edition Adelaide 500 series of number plates displaying the Adelaide 500 25-year anniversary logo before the SA, preceded by the number sequence 1ADL-25ADL. The plate is issued under an agreement between the Registrar and the applicant and must be of the type known as metal embossed and must conform to the following additional specifications and design:

 371 ± 1.0 mm

Aluminium Embossed

White Letters and Figures. Adelaide 500 25th anniversary logo



 $133\pm1.0\text{mm}$

Black Retroreflective Background

An Adelaide 500 25th anniversary logo in a green wreath is located to left of the number plate. 'SA' written vertically in the centre

	Motor Vehicles
Height of figure or letter	70mm
Width of every line in each figure or letter	10mm

General Specifications and Design

1. The dimensions of the letters or words 'SA', 'SOUTH AUSTRALIA', 'THE FESTIVAL STATE' or any other slogan approved by the Registrar whether preceding the number or appearing in a central position above or below the registration number on which they are permitted, unless otherwise prescribed, must be as follows:

	Motor Bikes (except Class 12)	Motor Bikes Class 12	All Other Classes
Height of figure or letter	10mm	8mm	8-20mm
Width of every line in all parts thereof	2mm	1-2mm	1-3mm

(Except Corporate Number Plates which may vary at the discretion of the Registrar).

2. The dimensions of the State Badge (Piping Shrike) appearing on the number plates on which they are permitted, must be as follows:

	Class 3	Class 4	Class 4 Motor Bike
Diameter	24-30mm	50mm	27mm

3. The dimensions of the slogan "SA Cycle instead" appearing on the Bike Rack number plate must be as follows:

	Class 16
Height of figure or letter	13mm
Width of every line in all parts thereof	2mm

- 4. A number plate will be taken to comply with the requirements of this notice relating to the size of the plate and the size of letters and figures on the plate if the size of the plate or of any figure or letter on the plate—
 - (a) does not exceed the size prescribed by this notice by more than 1.0mm; or
 - (b) is not more than 1.0mm less than the size prescribed by this notice.
- 5. Notwithstanding the prescribed design and specifications for number plates, a number plate (other than a trailer or bike rack plate) may bear a plate and/or label that complies with the relevant Australian Standard, if the vehicle to which the number plate is affixed, is equipped to be Electric, Hydrogen or uses LP Gas/Natural Gas (as detailed in the Road Traffic (Light Vehicle Standards) Rules 2018 or the Heavy Vehicle (Vehicle Standards) National Regulation (as applicable). However, the plate and label on the number plate must be placed in such a position so as not to obscure any letter, figure, logo or slogan appearing on the number plate.

Transitional Provision

A number plate that was manufactured before the date of this notice will be taken to comply with this notice if it complies with the notice under Section 47A of the Act published in the Gazette on 10 October 2024 (see Gazette No. 68, pages 3908-3926).

SCHEDULE 3

Classes of Number Plates Which may be Displayed Pursuant to an Agreement under Section 47A(4) of the Act

Class 1—Numeric

Class 2—Alpha Numeric (Non-slogan)

Class 3—Slogan

Class 4—Personalised

Class 5—Jubilee

Class 6—Australian Grand Prix

Class 9—Name Plates

Class 10—Custom

Class 15—Premium

Class 17—Centenary of Federation

Class 20-Euro

Class 22—Japanese

Class 23—Adelaide 500

Dated: 2 October 2025

Approved by

E. KOKAR Registrar of Motor Vehicles

PLANNING, DEVELOPMENT AND INFRASTRUCTURE ACT 2016

Codes of Conduct

Preamble

Under Clause 1 of Schedule 3 of the *Planning, Development and Infrastructure Act 2016* (the Act), the Minister may adopt Codes of Conduct to be observed by specified entities acting under the Act.

Before adopting or varying a Code of Conduct, the Minister must consult with the Environment, Resources and Development Committee of Parliament, the Local Government Association and, in relation to a Code of Conduct that applies to accredited professionals, the Commissioner for Consumer Affairs.

If the Minister adopts or varies a Code of Conduct, notice of the adoption or variation must be published in the Gazette.

NOTICE

Pursuant to Clause 2 of Schedule 3 of the *Planning, Development and Infrastructure Act 2016* (the Act), I, Benjamin Sieben, Manager, Governance and Legislation, hereby give notice of variations to the Codes of Conduct previously adopted under Clause 1 of Schedule 3 of the Act relating to Accredited Professionals, members of Assessment Panels, members of the State Planning Commission, members of a Joint Planning Board, and Scheme Coordinators.

The varied Codes of Conduct will be published on the SA planning portal and will take effect from 10 November 2025.

Dated: 3 October 2025

BENJAMIN SIEBEN Manager, Governance and Legislation Delegate of the Minister for Planning

PLANNING, DEVELOPMENT AND INFRASTRUCTURE ACT 2016

SECTION 42

Practice Directions

Preamble

The State Planning Commission may issue a practice direction for the purposes of this Act.

A practice direction may specify procedural requirements or steps in connection with any matter arising under this Act.

A practice direction must be notified in the Gazette and published on the SA Planning Portal.

A practice direction may be varied or revoked by the State Planning Commission from time to time by a further instrument notified in the Gazette and published on the SA Planning Portal.

NOTICE

Pursuant to Section 42(4)(b) of the *Planning, Development and Infrastructure Act 2016*, I, Craig Holden, Chair of the State Planning Commission, as delegate of the State Planning Commission:

- (a) give notice of a variation to State Planning Commission Practice Direction 12—Conditions 2020; and
- (b) fix the day on which the varied State Planning Commission Practice Direction 12—Conditions is published on the SA Planning Portal as the day on which it will come into operation and
- (c) give notice of the revocation of State Planning Commission Practice Direction 11—Deemed Planning Consent Standard Conditions 2020; and
- (d) fix the day on which State Planning Commission Practice Direction 11—Deemed Planning Consent Standard Conditions 2020 is revoked to be the day the varied State Planning Commission Practice Direction 12—Conditions is published on the SA Planning Portal.

Dated: 2 October 2025

CRAIG HOLDEN
Chair, State Planning Commission
Delegate of the State Planning Commission

PLANNING, DEVELOPMENT AND INFRASTRUCTURE ACT 2016

SECTION 76

Amendment to the Planning and Design Code

Preamble

It is necessary to amend the Planning and Design Code (the Code) in operation at 25 September 2025 (Version 2025.18) in order to make changes of form relating to the Code's spatial layers and their relationship with land parcels. Note: There are no changes to the application of zone, subzone or overlay boundaries and their relationship with affected parcels or the intent of policy application as a result of this amendment.

- 1. Pursuant to Section 76 of the *Planning, Development and Infrastructure Act 2016* (the Act), I hereby amend the Code in order to make changes of form (without altering the effect of underlying policy), correct errors and make operational amendments as follows:
 - (a) Undertake minor alterations to the geometry of the spatial layers and data in the Code to maintain the current relationship between the parcel boundaries and Code data as a result of the following:
 - (i) New plans of division deposited in the Land Titles Office between 17 September 2025 and 30 September 2025 affecting the following spatial and data layers in the Code:
 - A. Zones and subzones
 - B. Technical and Numeric Variations
 - Building Heights (Levels)
 - · Building Heights (Metres)
 - Minimum Frontage
 - Minimum Site Area
 - Minimum Primary Street Setback
 - · Minimum Side Boundary Setback
 - · Future Local Road Widening Setback
 - C. Overlays
 - · Affordable Housing
 - · Character Area
 - Coastal Areas
 - Defence Aviation Area
 - Dwelling Excision
 - Environment and Food Production Area
 - · Future Local Road Widening
 - · Future Road Widening
 - Hazards (Bushfire—High Risk)
 - Hazards (Bushfire—Medium Risk)
 - Hazards (Bushfire—General Risk)

- Hazards (Bushfire—Urban Interface)
- · Hazards (Bushfire-Regional)
- Hazards (Bushfire—Outback)
- · Heritage Adjacency
- · Historic Shipwrecks
- Limited Dwelling
- · Local Heritage Place
- · Significant Interface Management
- State Heritage Place
- Stormwater Management
- · Urban Tree Canopy
- (b) In Part 13 of the Code—Table of Amendments, update the publication date, Code version number, amendment type and summary of amendments within the 'Table of Planning and Design Code Amendments' to reflect the amendments to the Code as described in this Notice.
- 2. Pursuant to Section 76(5)(a) of the Act, I further specify that the amendments to the Code as described in this Notice will take effect upon the date those amendments are published on the SA planning portal.

Dated: 2 October 2025

GREG VAN GAANS Director, Geospatial, Data Science and Analytics, Department for Housing and Urban Development Delegate of the Minister for Planning

RETIREMENT VILLAGES ACT 2016

SECTION 59(1)

Voluntary Termination of Retirement Village Scheme

Take notice that I, Nat Cook, Minister for Seniors and Ageing Well, pursuant to Section 59(1) of the *Retirement Villages Act 2016*, hereby terminate the following retirement village schemes:

- Resthaven Mt Gambier Retirement Apartments situated at 24 Elizabeth Street, Mount Gambier, SA 5290 and comprising all of the land and improvements in Certificate of Title Register Book Volume 6076 Folio 883.
- Resthaven Inc—Murray Bridge situated at 53 Swanport Road, Murray Bridge, SA 5253 and comprising all of the land and improvements in Certificate of Title Register Book Volume 5947 Folio 66.

I do so, being satisfied for the purposes of Section 59(2) of the Act that there are no retirement village residents in occupation. The terminations will take effect on the days upon which the respective retirement village endorsements are cancelled.

Dated: 3 October 2025

NAT COOK Minister for Seniors and Ageing Well

LOCAL GOVERNMENT INSTRUMENTS

CITY OF NORWOOD PAYNEHAM & ST PETERS

ROADS (OPENING AND CLOSING) ACT 1991

Road Opening—Little Flinders Street, Kent Town

Notice is hereby given, pursuant to Section 10 of the *Roads (Opening and Closing) Act 1991* that the City of Norwood Payneham & St Peters proposes to make a Road Process Order to close and merge with the adjoining landowner the northern end of Little Flinders Street adjoining allotment 53 in D26374, allotment 36 in F3654 and Strata Plan 3503, more particularly delineated and lettered 'A' on Preliminary Plan 25/0024.

The Preliminary Plan is available for public inspection at the offices of the City of Norwood Payneham & St Peters, 175 The Parade Norwood, and the Adelaide Office of the Surveyor-General located at Level 10, 83 Pirie Street Adelaide, during normal office hours. The Preliminary Plan can also be viewed at www.sa.gov.au/roadsactproposals.

Any application for easement or objection must set out the full name, address and details of the submission and must be fully supported by reasons. The application for easement or objection must be made in writing to the City of Norwood Payneham & St Peters, PO Box 204 Kent Town SA 5071, within 28 days of this notice and a copy must be forwarded to the Surveyor-General at GPO Box 1815, Adelaide 5001. Where a submission is made, the applicant must be prepared to support their submission in person upon the Council giving notification of a meeting at which the matter will be considered.

Dated: 2 October 2025

MARIO BARONE PSM Chief Executive Officer

DISTRICT COUNCIL OF CEDUNA

Review of Elector Representation

Notice is hereby given that the District Council of Ceduna, in accordance with the requirements of Section 12(4) of the *Local Government Act 1999*, has reviewed its composition and elector representation arrangements.

Pursuant to Section 12(13)(a) of the said Act, the Electoral Commissioner has certified, that the review undertaken by Council satisfies the requirements of the Act and may therefore now be put into effect as from the day of the first periodic election held after the publication of this notice.

The revised representation arrangements are as follows:

- 1. The Council area not be divided into wards (retain the existing "no wards" structure).
- 2. The Council continue to comprise eight (8) area councillors and the Mayor.

Dated: 9 October 2025

TIMOTHY COOTE Chief Executive Officer

YORKE PENINSULA COUNCIL

LOCAL GOVERNMENT ACT 1999

Notice of Vacancy in the Office of Member of Council

Notice is hereby given that the office of Councillor Innes Pentonvale Ward has become vacant by operation of Section 54(2) of the Local Government Act 1999, due to the recent election of Councillor Kylie Leanne Gray to the office of Mayor, effective 26 September 2025.

Dated: 7 October 2025

ANDREW CAMERON Chief Executive Officer

PUBLIC NOTICES

NATIONAL ELECTRICITY LAW

Notice of Initiation Notice of Final Determination

The Australian Energy Market Commission (AEMC) gives notice under the National Electricity Law as follows:

Under s 95, the Centre for Independent Studies has requested the *Clarifying the treatment of jurisdictional policies and system costs in the ISP* (Ref. ERC0406) proposal. The proposal seeks to clarify the treatment of jurisdictional policies and system costs in the Integrated System Plan. Submissions must be received by 6 November 2025.

Under s 95, the Australian Energy Market Operator has requested the *Enhancing Access for Registered Participant Representatives* (Ref. ERC0415) proposal. The proposal seeks to enable AEMO to disclose confidential information to authorised representatives of registered participants. Submissions must be received by **6 November 2025**.

Under s 102, the making of the final determination on the Efficient provision of inertia (Ref. ERC0339) proposal.

Submissions can be made via the <u>AEMC's website</u>. Before making a submission, please review the AEMC's <u>privacy statement</u> on its website, and consider the AEMC's <u>Tips for making a submission</u>. The AEMC publishes submissions on its website, subject to confidentiality and other considerations.

Documents referred to above are available on the AEMC's website and are available for inspection at the AEMC's office.

Australian Energy Market Commission Level 15, 60 Castlereagh St Sydney NSW 2000 Telephone: (02) 8296 7800 www.aemc.gov.au

Dated: 9 October 2025

NATIONAL GAS LAW

Notice of Initiation

The Australian Energy Market Commission (AEMC) gives notice under the National Gas Law as follows:

Under s 303, the Australian Energy Market Operator has requested the *Enhancing Access for Registered Participant Representatives* (Ref. GRC0087) proposal. The proposal seeks to enable AEMO to disclose confidential information to authorised representatives of registered participants. Submissions must be received by **6 November 2025**.

Submissions can be made via the <u>AEMC's website</u>. Before making a submission, please review the AEMC's <u>privacy statement</u> on its website, and consider the AEMC's <u>Tips for making a submission</u>. The AEMC publishes all submissions on its website, subject to confidentiality.

Documents referred to above are available on the AEMC's website and are available for inspection at the AEMC's office.

Australian Energy Market Commission Level 15, 60 Castlereagh St Sydney NSW 2000 Telephone: (02) 8296 7800 www.aemc.gov.au

Dated: 9 October 2025

SALE OF PROPERTY

Warrant of Sale

Auction Date: Friday, 24 October 2025 at 11.30am

Location: 15a McCarthy Avenue, Hectorville, South Australia

Notice is hereby given that on the above date at the time and place stated, by virtue of the Warrant of Sale issued out of the Magistrates Court of South Australia, Action No. 007963 of 2024 directed to the Sheriff of South Australia in an action wherein Wei Qi is the Plaintiff and Yongxia Wu is the Defendant, I Leslie Turner, Sheriff of the State of South Australia, will by my auctioneers, Professionals Adelaide City, make sale of the estate, right, title or interest whatsoever it may be of the defendant, Yongxia Wu the registered proprietor of an estate in fee simple in the following:

That piece of land situated in the area named Hectorville, being 15a McCarthy Avenue, Hectorville, Hundred of Adelaide, being the property comprised in Certificate of Title Register Book Volume 6259 Folio 844.

Further particulars from the auctioneers.

Bobbie Kang Professionals Adelaide City 3 & 4 / 69-79 Gilbert Street, Adelaide SA 5000 Telephone 08 7230 8228

Dated: 9 October 2025

LESLIE TURNER Sheriff

TRUSTEE ACT 1936

PUBLIC TRUSTEE

Estates of Deceased Persons

In the matter of the estates of the undermentioned deceased persons:

ATKINSON Maxine Mary late of 104 Woodville Road Woodville of no occupation who died 24 September 2024 BRAKENRIDGE Gloria Dorn late of 23 Hurlstone Street Peterborough of no occupation who died 5 June 2025
BYRNES Moira Therese late of 206 Sir Donald Bradman Drive Cowandilla Retired chaplain who died 26 March 2025

BYRNES Morra Therese late of 206 Sir Donald Bradman Drive Cowandilla Retired enaplain who died 26 March 2025
DOE Colin Mark late of 22 Poole Street Osborne Retired Baker who died 30 April 2025
ELSE Sylvia late of 580 Brighton Road Brighton Retired confectionary glazier who died 3 March 2025
ENGLAND Elizabeth Stuart late of 24 Hawdon Street Barmera Retired School Teacher who died 7 June 2025
FLETCHER Pamela Dawn late of Unit 86, 50 Woodcroft Drive Morphet Vale Retired Shop Assistant/Seamstress who died 9 December 2024
HATZIGEORGIOU Anna late of 110 Strathfield Terrace Largs North of no occupation who died 29 May 2024
KAZIUK Rosa Sofia late of Unit 13, 14 Rhyne Avenue Salisbury of no occupation who died 30 June 2025
KREUTNER Ilse Irma Agnes late of 22 Kylie Crescent Ingle Farm of no occupation who died 17 June 2025
KURLAVICIUS Romualdas late of 35 Washington Street Goolwa Retired welder and boilermaker who died 16 June 2025
LITTI F Brian late of Unit 13, 47 Dew Street Thebarton of no occupation who died 27 July 2023

LITTLE Brian late of Unit 13, 47 Dew Street Thebarton of no occupation who died 27 July 2023

PORTELLI Jillian Faye late of 2 Malken Way Findon Retired typist who died 5 May 2025 RANDS Phillip late of 16-24 Penneys Hill Road Hackham Retired butcher who died 3 May 2025

SCHUBERT Solija late of 80 Moseley Street Glenelg South Retired sales assistance who died 23 September 2024

THOMS Paul Kenneth late of Unit 7, 14 Monterey Avenue Morphett Vale of no occupation who died 17 January 2025

WATTERS Valmai Edna Mary late of 1A Mount Barker Road Hahndorf Retired Hairdresser who died 6 June 2025

Notice is hereby given pursuant to the Trustee Act 1936 (SA), the Succession Act 2023 (SA) and the Family Relationships Act 1975 (SA) that all creditors, beneficiaries, and other persons having claims against the said estates are required to send, in writing, to the office of Public Trustee at GPO Box 1338, Adelaide 5001, full particulars and proof of such claims, on or before the 7 November 2025 otherwise they will be excluded from the distribution of the said estate; and notice is also hereby given that all persons indebted to the said estates are required to pay the amount of their debts to the Public Trustee or proceedings will be taken for the recovery thereof; and all persons having any property belonging to the said estates are forthwith to deliver same to the Public Trustee.

Dated: 9 October 2025

T. Brumfield Public Trustee

NOTICE SUBMISSION

The South Australian Government Gazette is published each Thursday afternoon.

Notices must be emailed by 4 p.m. Tuesday, the week of publication.

Submissions are formatted per the gazette style and a proof will be supplied prior to publication, along with a quote if applicable. Please allow one day for processing notices.

Alterations to the proof must be returned by 4 p.m. Wednesday.

Gazette notices must be submitted as Word files, in the following format:

- Title—the governing legislation
- Subtitle—a summary of the notice content
- Body-structured text, which can include numbered lists, tables, and images
- Date—day, month, and year of authorisation
- Signature block—name, role, and department/organisation authorising the notice

Please provide the following information in your email:

- Date of intended publication
- Contact details of the person responsible for the notice content
- Name and organisation to be charged for the publication—Local Council and Public notices only
- Purchase order, if required—Local Council and Public notices only

EMAIL: governmentgazettesa@sa.gov.au

PHONE: (08) 7133 3552

WEBSITE: www.governmentgazette.sa.gov.au

All instruments appearing in this gazette are to be considered official, and obeyed as such